#### PRODUCT INFORMATION

**Description** 12-110V LED 2- Pin Warehouse Work

Light with Vertical Flood Beam Pattern

 Height
 130.00 mm / 5.12 in

 Width
 159.00 mm / 6.26 in

 Depth
 43.00 mm / 1.69 in

**Shape** Stylized

Outer Lens MaterialPolycarbonateOuter Lens ColorBlack/ClearHousing MaterialPolycarbonate

Housing Color Black

**Mounting Hardware** (x1) M8-30.5mm Black Zinc Plate

**Description** Flange Bolt **Mounting Type** Flush

**Connector or Wiring** Integrated 2-Pin Deutsch

Mating Connector 2-Pin Deutsch Weather-Proof Plug


(DT06-2S)


**Product Weight** 0.70 lbs / 0.32 kgs **Shipping Weight** 1.10 lbs / 0.5 kgs





#### PRODUCT DIMENSIONS





### **ELECTRICAL SPECIFICATIONS**

Input Voltage12-110V DCOperating Voltage9-110V DC

**Transient Spike Protection** 330V Peak @ 1 HZ-100 Pulses

**Current Draw** 1.59A @ 12V DC

.74A @ 24V DC 0.34A @ 60V DC 0.23A @ 110V DC

#### **REGULATORY STANDARDS COMPLIANCE**









Buy America Standards CISPR 12
Eco Friendly IEC IP67
SAE J1113-13 SAE J1113-21
SAE J1113-4 UL Recognized




#### **PHOTOMETRIC SPECIFICATIONS**

**Raw Lumen Output** 2,000 **Effective Lumen** 1,600

Output

**Beam Pattern(s)** Forward Lighting - Flood (Vertical)



### **APPLICATIONS**













#### **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

#### **ACCESSORIES**



Part Number 8200501 Mounting Kit For Model

710 Work Light

### **RELATED PRODUCTS**



Part Number 1000101 12-110V LED 3- Pin Warehouse Work Light with Vertical Flood Beam Pattern

