

# LED Auxiliary Work Light - Model 4418


## PRODUCT INFORMATION

|                                      |  |
|--------------------------------------|--|
| <b>Description</b>                   | 12V LED Work Light with Flood Beam Pattern |
| <b>Height</b>                        | 95.00 mm / 3.74 in                         |
| <b>Width</b>                         | 89.00 mm / 3.5 in                          |
| <b>Depth</b>                         | 48.00 mm / 1.89 in                         |
| <b>Shape</b>                         | Square                                     |
| <b>Outer Lens Material</b>           | Polycarbonate                              |
| <b>Outer Lens Color</b>              | Clear                                      |
| <b>Housing Material</b>              | Die-Cast Aluminum                          |
| <b>Housing Color</b>                 | Black                                      |
| <b>Mounting Hardware Description</b> | (x1) M8-1.25 x 25mm Single Carriage Bolt   |
| <b>Mounting Type</b>                 | Pedestal                                   |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F                            |
| <b>Maximum Operating Temperature</b> | 85 °C / 185 °F                             |
| <b>Connector or Wiring</b>           | Bare Leads                                 |
| <b>Product Weight</b>                | 0.94 lbs / 0.43 kgs                        |
| <b>Shipping Weight</b>               | 1.13 lbs / 0.51 kgs                        |



MODEL  
**4418**

## PRODUCT DIMENSIONS



Print date: 2025-02-05

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Auxiliary Work Light - Model 4418

## ELECTRICAL SPECIFICATIONS

|                          |                                 |
|--------------------------|---------------------------------|
| <b>Input Voltage</b>     | 12V DC                          |
| <b>Operating Voltage</b> | 9-16V DC                        |
| <b>Red Wire</b>          | Positive                        |
| <b>Black Wire</b>        | Negative                        |
| <b>Current Draw</b>      | 2.17A @ 9V DC<br>0.97A @ 16V DC |

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

|                                      |                                   |
|--------------------------------------|-----------------------------------|
| <b>Raw Lumen Output</b>              | 2,450                             |
| <b>Effective Lumen Output</b>        | 1,300                             |
| <b>Nominal LED Color Temperature</b> | 5000 K                            |
| <b>Beam Pattern(s)</b>               | Forward Lighting - Flood (Medium) |



Print date: 2025-02-05

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Auxiliary Work Light - Model 4418

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES

---



**Part Number**  
**6149203**

A-Pillar Mounting Kit  
for Jeep JK



**Part Number**  
**8200491**

Mounting Kit For Work  
Lights

# LED Auxiliary Work Light - Model 4418

## RELATED PRODUCTS

---



**Part Number**  
**0554861**  
12V LED Work Light  
with Spot Beam  
Pattern



**Part Number**  
**0554863**  
12V LED Work Light Kit  
with Spot Beam  
Pattern - Kit of 2



**Part Number**  
**0554871**  
12V LED Work Light  
with Trapezoid Beam  
Pattern



**Part Number**  
**0554873**  
12V LED Work Light Kit  
with Trapezoid Beam  
Pattern - Kit of 2



**Part Number**  
**0555003**  
12V LED Work Light Kit  
with Flood Beam  
Pattern - Kit of 2