


# LED Light Bars - Model 9049-3M

## PRODUCT INFORMATION

<b>Description</b>	12V LED 19" Light Bar with Spot Beam Pattern & Driving Light
<b>Height</b>	102.97 mm / 4.05 in
<b>Width</b>	562.66 mm / 22.15 in
<b>Depth</b>	69.85 mm / 2.75 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Aluminum
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Universal Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	36" Bare Leads
<b>Product Weight</b>	7.55 lbs / 3.42 kgs
<b>Shipping Weight</b>	7.09 lbs / 3.22 kgs



## PRODUCT DIMENSIONS



Print date: 2025-01-27

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Light Bars - Model 9049-3M

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	4.08A @ 12.8V DC 2.10A @ 24V DC

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards  
SAE J1113-21

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	3,840
<b>Effective Lumen Output</b>	1,460
<b>Candela Output</b>	18,500
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Driving Forward Lighting - Spot



Print date: 2025-01-27

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Light Bars - Model 9049-3M

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



**Part Number**

**0549281**

12V SAE/ECE LED 19"

Light Bar with Fog

Beam Pattern