


5 Function Wire Assembly for Model 8633

PRODUCT INFORMATION

Description	5 Function Wire Assembly for Model 8633
Depth	639.00 mm / 25.16 in
Connector or Wiring	H4 Male (x1), 3-520106-2 AMP Insulated Terminal (x3)
Mating Connector	H4 Female (x1), 3-350819-2 AMP Insulated Terminal (x3)
Product Weight	0.40 lbs / 0.18 kgs
Shipping Weight	0.46 lbs / 0.21 kgs




Print date: 2025-01-15


© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

5 Function Wire Assembly for Model 8633


PRODUCT DIMENSIONS



Pin Out Information



WIRE HARNESS



ELECTRICAL SPECIFICATIONS

White Wire	High Beam
Yellow Wire	Low Beam
Black Wire	Ground
Orange / White Wire	Turn
Purple Wire	DRL
Red Wire	Front Position

Print date: 2025-01-15

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

5 Function Wire Assembly for Model 8633

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

SUITS THESE PRODUCTS



5.75" Round LED Headlights with Pedestal Mount

LED Headlight - Model
8633 Evolution

Print date: 2025-01-15

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.