# LED Marine Navigation Lights - Model 450

### **PRODUCT INFORMATION**

**Description** 12-24V LED Stern (White) Marine Signal

Light

 Height
 33.02 mm / 1.3 in

 Width
 198.12 mm / 7.8 in

 Depth
 43.18 mm / 1.7 in

**Shape** Stylized

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color White

**Mounting Type**Low Profile Mount **Minimum Operating**-40 °C / -40 °F

**Temperature** 


**Maximum Operating**  $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$ 


**Temperature** 


Connector or Wiring12" Bare LeadsProduct Weight0.24 lbs / 0.11 kgsShipping Weight1.26 lbs / 0.57 kgs



### **PRODUCT DIMENSIONS**







Print date: 2025-04-25

# LED Marine Navigation Lights - Model 450

### **ELECTRICAL SPECIFICATIONS**

Input Voltage12-24V DCRed WirePositiveBlack WireNegative

**Current Draw** 0.21A @ 12V DC 0.1A @ 24V DC

## **REGULATORY STANDARDS COMPLIANCE**







ABYC A-16 Buy America Standards

Eco Friendly IEC IP67

USCG COLREGS Part C

#### PHOTOMETRIC SPECIFICATIONS

Nominal LED Color 5000 K Temperature

## **APPLICATIONS**



#### **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <a href="www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

Print date: 2025-04-25



# LED Marine Navigation Lights - Model 450

## **RELATED PRODUCTS**





**Part Number** 

Part Number 0230681 12-24V LED Port (Red) Marine Signal Light

0230691 12-24V LED Starboard (Green) Marine Signal Light

Print date: 2025-04-25

