


LED Strobe Warning Light and Safety Light - Model 284

PRODUCT INFORMATION

| | |
|--------------------------------------|----------------------------------|
| Description | 12-48V SAE LED Blue Strobe Light |
| Height | 215.90 mm / 8.5 in |
| Width | 49.53 mm / 1.95 in |
| Depth | 43.69 mm / 1.72 in |
| Shape | Rectangular |
| Outer Lens Material | Acrylic |
| Outer Lens Color | Clear |
| Housing Material | ABS |
| Housing Color | Black |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | 9" Bare Leads |
| Product Weight | 0.40 lbs / 0.18 kgs |
| Shipping Weight | 9.10 lbs / 4.13 kgs |



PRODUCT DIMENSIONS



Print date: 2024-11-22

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Strobe Warning Light and Safety Light - Model 284

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|--|
| Input Voltage | 12-48V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 0.50A @ 12V DC 0.25A @ 24V DC 0.175A @ 36V DC 0.125A @ 48V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67

Eco Friendly
SAE J845

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Warning - Strobe

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2024-11-22

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Strobe Warning Light and Safety Light - Model 284

RELATED PRODUCTS



Part Number

0645661

12-48V SAE LED
Amber Strobe Light

Print date: 2024-11-22

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660