


LED Work & Backup Lights - Model 905

PRODUCT INFORMATION

Description	12-24V LED Work Light with Flood Beam Pattern
Height	52.00 mm / 2.05 in
Width	274.40 mm / 10.8 in
Depth	28.70 mm / 1.13 in
Outer Lens Material	ACRYLIC
Outer Lens Color	CLEAR
Housing Material	PC/ABS
Housing Color	BLACK
Bezel Color	NA
Product Weight	0.41 lbs / 0.19 kgs
Shipping Weight	4.48 lbs / 2.03 kgs



PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-32V DC
Red Wire	Power (+)
Black Wire	Ground (-)
Current Draw	1.32A @ 12V DC (Worklamp) 0.64A @ 24V DC (Worklamp)

Print date: 2025-02-22

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work & Backup Lights - Model 905


REGULATORY STANDARDS COMPLIANCE



IEC IP67

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	2800
Effective Lumen Output	1160
Candela Output	770
Nominal LED Color Temperature	4750 K
Beam Pattern(s)	Forward Lighting - Flood (Standard)



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠️ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2025-02-22

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work & Backup Lights - Model 905

ACCESSORIES



Part Number
8200921
Pedestal Mount for
Model 260 SAE and
905



Part Number
8200931
Panel Mount for Model
260 SAE and 905

RELATED PRODUCTS



Part Number
0443601
12-24V LED Backup &
Work Light with Flood
Beam Pattern



Part Number
1000171
12-24V LED Work Light
with Flood Beam
Pattern & Diffused
Lens