PRODUCT INFORMATION


Description	12-24V LED Work L Pattern
Height	193.80 mm / 7.63 i
Width	157.23 mm / 6.19 i
Depth	65.28 mm / 2.57 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Hardware Description	(x1) 3/8-16 x 1.5" N
Mounting Type	Universal Pedestal
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated 2-Pin De Socket (DT04-2P)
Mating Connector	2-Pin Deutsch Weat (DT06-2S)
Product Weight	1.52 lbs / 0.69 kgs
Shipping Weight	1.40 lbs / 0.64 kgs

12-24V LED Work Light with Spot Beam Pattern 193.80 mm / 7.63 in 157.23 mm / 6.19 in 65.28 mm / 2.57 in Round Polycarbonate Clear Polycarbonate Black (x1) 3/8-16 x 1.5" Mounting Bolt Universal Pedestal Mount -40 °C / -40 °F 65 °C / 149 °F Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) 2-Pin Deutsch Weather-Proof Plug (DT06-2S) 1.52 lbs / 0.69 kgs





PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	10-32V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	2A @ 12V DC 1A @ 24V DC

REGULATORY STANDARDS COMPLIANCE



Buy America Standards CISPR 22 IEC IP69K CISPR 12 Eco Friendly SAE J1113-13

Tested to ECE Reg. 10 (Radiated Emissions only)


SAE J1113-1

Print date: 2025-02-23

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



PHOTOMETRIC SPECIFICATIONS



PRODUCT WARNINGS

For California residents:

- A WARNING: Cancer and reproductive harm <u>www.P65Warnings.ca.gov</u>.
- AVERTISSEMENT: Cancer et effet nocif sur la reproduction <u>www.P65Warnings.ca.gov</u>.



ACCESSORIES





Part Number 8200011 Magnet Mount Kit for XD Series Work Lights

Part Number 8200101 Stainless Steel Mounting Kit for Work Lights & Marine Lights



Part Number 8200491 Mounting Kit For Work Lights

RELATED PRODUCTS



Part Number **1501641** with Flood Beam Pattern



1501651 12-24V LED Work Light 12-24V LED Work Light with Trapezoid Beam Pattern



