PRODUCT INFORMATION

Description 12-110V LED Work Light with Flood

Beam Pattern

 Height
 154.18 mm / 6.07 in

 Width
 113.28 mm / 4.46 in

 Depth
 54.10 mm / 2.13 in

Shape Square

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color Black

Mounting Hardware (x1) 5/16"-18 x 1.00" Mounting Bolt

Description

Mounting Type Universal Pedestal Mount

Minimum Operating $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$

Temperature

Maximum Operating $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$

Temperature

Connector or Wiring Integrated 2-Pin Deutsch Weather-Proof

Socket (DT04-2P)

Mating Connector 2-Pin Deutsch Weather-Proof Plug


(DT06-2S)

Product Weight 1.10 lbs / 0.5 kgs Shipping Weight 1.46 lbs / 0.66 kgs





PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage12-110V DCOperating Voltage10-130V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses


Red Wire Positive **Black Wire** Negative

 Current Draw
 1.00A @ 12V DC

 0.50A @ 24V DC

 0.33A @ 36V DC

0.25A @ 48V DC 0.16A @ 80V DC 0.13A @ 110V DC





REGULATORY STANDARDS COMPLIANCE









Buy America Standards CISPR 22 IEC IP69K Tested to ECE Reg. 10 (Radiated Emissions only) CISPR 12 Eco Friendly SAE J1113-13 UL Recognized

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,080 Effective Lumen 780

Output


Nominal LED Color

Temperature

Beam Pattern(s) Forward Lighting - Flood

(Standard)

5000 K



APPLICATIONS


























PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES



Part Number 8200011 Magnet Mount Kit for XD Series Work Lights



Part Number
8200101
Stainless Steel
Mounting Kit for Work
Lights & Marine Lights



Part Number 8200491 Mounting Kit For Work Lights

RELATED PRODUCTS



Part Number 1300001 12-24V LED Work Light 12-24V LED Work Light 12-24V LED Work Light 12-110V LED Work with Flood Beam Pattern



Part Number 1300011 with Trapezoid Beam Pattern



Part Number 1300021 with Spot Beam Pattern



Part Number 1300031 Light with Trapezoid Beam Pattern & Integrated 2-Pin **Deutsch Connector**



Part Number 1300041 12-110V LED Work Light with Trapezoid Beam Pattern & Integrated AMP Connector



Part Number 1300101 12-110V LED Work Light with Spot Beam Pattern



Part Number 1300301 with Left Hand Vertical Flood Beam Pattern



Part Number 1300311 12-48V LED Work Light 12-48V LED Work Light with Right Hand Vertical Flood Beam Pattern