

Trail 6 Amber/White - Round LED Work Light

PRODUCT INFORMATION

Description	12-24V LED Amber/White Work Light - Kit of 2
Height	94.00 mm / 3.7 in
Width	91.00 mm / 3.58 in
Depth	61.30 mm / 2.41 in
Shape	Round
Outer Lens Material	polycarbonate
Outer Lens Color	Clear
Housing Material	Aluminum
Housing Color	Black
Bezel Color	Black
Mounting Hardware Description	(x1) 8-1.25 x 20 Stainless Steel
Mounting Type	Pedestal/Panel
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	3' cable with integrated connector
Product Weight	2.00 lbs / 0.91 kgs
Shipping Weight	2.85 lbs / 1.29 kgs



TRAIL 6 AMBER/WHITE


Print date: 2024-11-21

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

Trail 6 Amber/White - Round LED Work Light

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-32V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Black Wire	Ground
Red Wire	Toggle
White Wire	White
Yellow Wire	Amber
Current Draw	2.09A @ 12V DC (Amber/white) 0.90A @ 24V DC (Amber/White)

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67

Eco Friendly
IEC IP69K

Print date: 2024-11-21


© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

Trail 6 Amber/White - Round LED Work Light

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	1800
Effective Lumen Output	1326
Candela Output	20200
Beam Pattern(s)	Forward Lighting - Flood (Wide) Forward Lighting - Spot Anti-Glare



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2024-11-21

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.