



# Off Road LED Light Bar - Model TS1500

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED 18.5" Light Bar with Diffuse Beam Pattern
<b>Height</b>	40.00 mm / 1.57 in
<b>Width</b>	470.00 mm / 18.5 in
<b>Depth</b>	54.00 mm / 2.13 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Nylon
<b>Outer Lens Color</b>	Diffuse
<b>Housing Material</b>	TC PA6
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x2) M6-1 x
<b>Connector or Wiring</b>	Bare Leads, 2.5mm Jacketed Cable
<b>Product Weight</b>	1.45 lbs / 0.66 kgs
<b>Shipping Weight</b>	1.99 lbs / 0.9 kgs



## PRODUCT DIMENSIONS



Print date: 2024-12-14

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# Off Road LED Light Bar - Model TS1500

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Operating Voltage</b>	9-33V DC
<b>Red Wire</b>	High
<b>White Wire</b>	Ground
<b>Brown Wire</b>	Low
<b>Current Draw</b>	3.16A @ 12V DC

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

<b>Effective Lumen Output</b>	3,600
<b>Candela Output</b>	1,510
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Flood (Wide)



## APPLICATIONS



Print date: 2024-12-14

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# Off Road LED Light Bar - Model TS1500

## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---

**Print date: 2024-12-14**

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
*Engineered. Lighting. Solutions.*