

Reflector LED Fog Lights - Model 6025


PRODUCT INFORMATION

Description	12V SAE/ECE RHT & LHT Reflector Fog Light
Height	114.00 mm / 4.49 in
Width	114.00 mm / 4.49 in
Depth	74.00 mm / 2.91 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Retrofits	Bucket 4.5" Round Fog Lights (PAR36)
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Packard 12059450-B
Mating Connector	Packard #12124817
Product Weight	0.48 lbs / 0.22 kgs
Shipping Weight	0.64 lbs / 0.29 kgs
Additional Information	2 bare leads for direct wiring.



MODEL
6025

PRODUCT DIMENSIONS



Print date: 2024-07-17

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

Reflector LED Fog Lights - Model 6025

ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	9-16V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	.83A @ 10V DC 0.7A @ 12V DC


REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 19
Eco Friendly	IEC IP67
SAE J583	Tested to ECE Reg. 10 (Radiated Emissions only)

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	346
Effective Lumen Output	291
Candela Output	12,300
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Fog



Print date: 2024-07-17

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

Reflector LED Fog Lights - Model 6025

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number

0553023

6025-12V Harmonized
Fog Lamp Kit

Print date: 2024-07-17

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660